METRAVI THREE CHANNEL DIGITAL TIME INTERVAL METER

NTT 3CH 4D

INTRODUCTION

This is a portable testing kit in one unit, suitable to test protective device, circuit breaker, tripping coils, relays and similer equipment. The set is designed for both laboratory and field use.

TECHNICAL FEATURES

INPUT 230 volts, single phase, 50 Hz AC.

NUMBER. OF CHANNEL Three Channels

DISPLAY OF EACH CHANNEL 7 Segment LED type, 4 digit display. **RANGES**

i) 0-99.99 m.sec. Resolution - 10 u. sec.

ii) 0-999.9 m.sec. Resolution - 100 u.sec. iii) 0-9.999 sec. Resolution - 1 m.sec.

iv) 0-99.99 sec. Resolution - 10 m.sec.

v) 0-999.9 sec. Resolution - 100 m.sec.

in five suitable range.

TIMER START MODE Timer start by injection of 20V to 240VAC or DC voltage 'OR'

Potential free contact opening or closing.

TIMER STOP MODE Timer stop counting with excitation of auxiliary

Contacts of Relay or Switch Gear under Test

GENERAL FEATURE # Selector for 'OCC' & 'CCO' mode.

Selector for 'NO' & 'NC' Relay mode contacts.

Terminals for Relay contacts.

Selector switch for 'NO' & 'NC' contacts.

Reset push button.

Timer range selection switch.

